

Troy, sledge

Design Marcel Wanders, 2010/2014


Stacking chair with seat in polypropylene.

Frame in steel rod chromed . Complete with felt pads.

Pair of feet connecting chair to chair available (p.61).

Folding writing tablet available (p.66).

Trolley Magis available (p.303).



9401.79.00 | 0,362 m³ | 33,00 kg



Art. nr.	Frame in steel rod	Seat in polypropylene
SD3380	chromed	colours
SD3382	painting white or black	colours




Stacking chair with seat in beech plywood.

Frame in steel rod, cataphoretically-treated and painted in polyester powder. Complete with felt pads.

Pair of feet connecting chair to chair available (p.61).

Folding writing tablet available (p.66).

Trolley Magis available (p.303).






9401.79.00 | 0,362 m³ | 33,00 kg



Art. nr.	Frame in steel rod	Seat in beech
SD3404	chromed	natural or black
SD3406	painting white	natural
SD3406	painting black	black



Frame in steel rod

-  chromed
-  white 5110
-  black 5140

Seat in polypropylene

-  white 1735 C
-  black 1763 C
-  coral red 1490 C
-  dark green 1557 C
-  beige 1733 C
-  brown 1479 C
-  pink 1629 C

Seat in beech

-  natural 7010
-  black 7065

Test Troy with seat in polypropylene

ANSI/BIFMA X5.1-2011
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Tested and classified by MPA Stuttgart in die Klasse P-b nach DIN 66084
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005
 Vertical load on back rest EN 15373:2007

Test Troy with seat in beech

ANSI/BIFMA X5.1-2011
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Vertical load on back rest EN 15373:2007
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005

Troy, sledge


Design Marcel Wanders, 2010/2014



Chair with front seat covered.

Frame in chromed steel rod or painted in polyester powder. Seat in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat) or in leather. Complete with felt pads.








Pair of feet connecting chair to chair available (p.66).

Folding writing tablet available (p.66).




 9401.79.00 |
 
 0,362 m³ |
 19,00 kg

Art. nr.	Frame in steel rod	Seat	Front seat covered
SD4105	chromed	polypropylene	fabric
SD4107	chromed	polypropylene	leather
SD4106	painted white or black	polypropylene	fabric
SD4108	painted white or black	polypropylene	leather
SD4220	chromed	beech natural or black	fabric
SD4223	chromed	beech natural or black	leather
SD4222	painted white or black	beech natural or black	fabric
SD4224	painted white or black	beech natural or black	leather

Frame in steel rod	Seat in polypropylene	Seat in beech	Fabric	Leather
 chromed	 white 1735 C	 natural 7010	Kvadrat Divina 3 Kvadrat Divina MD	Boxland 7150/black
 white 5110	 black 1763 C	 black 7065	Kvadrat Divina Melange Kvadrat Steelcut Kvadrat Steelcut Trio	
 black 5140			Kvadrat Hero Kvadrat Vidar	

 Information on customer's own material from p.397



Troy, sledge


Design Marcel Wanders, 2010/2014

Chair with seat fully covered.

Frame in chromed steel rod or painted in polyester powder. Seat in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat "Divina MD" and "Divina Mélange"). Complete with felt pads.

Pair of feet connecting chair to chair available (p.66).

Folding writing tablet available (p.66).



9401.79.00

0,362 m³

19,00 kg



Art. nr.	Frame in steel rod	Seat covered
SD3385	chromed	fabric
SD3386	painted white or black	fabric

Stacking chair with seat in polycarbonate.


Frame in steel rod chromed. Pattern visible from the reverse of seat.

Complete with felt pads.

Pair of feet connecting chair to chair available (p.61).

Folding writing tablet available (p.66).

Trolley Magis available (p.303).






9401.79.00

0,362 m³

33,00 kg

Art. nr.	Frame in steel rod	Seat
SD1383	chromed	polycarbonate



Frame in steel rod

-  chromed
-  white 5110
-  black 5140

Fabric

- Kvadrat Divina 3
- Kvadrat Divina MD
- Kvadrat Divina Melange
- Kvadrat Steelcut
- Kvadrat Steelcut Trio
- Kvadrat Hero
- Kvadrat Vidar

Seat in polycarbonate

-  white 1735 C (front)
-  clear 2540 TR with pattern (reverse)

Test Troy with seat upholstered

ANSI/BIFMA X5.1-2011
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Vertical load on back rest EN 15373:2007
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005

Test Troy with seat in polycarbonate

ANSI/BIFMA X5.1-2011
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Vertical load on back rest EN 15373:2007
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005



Information on customer's own material from p.397


Troy, sledge

Design Marcel Wanders, 2010/2014

Stacking chair with arms and seat in polypropylene.

Frame in steel rod chromed. Complete with felt pads.

Trolley Magis available (p.303).




9401.79.00

0,412 m³



39,00 kg


Art. nr.	Frame in steel rod	Seat in polypropylene
SD3390	chromed	colours
SD3392	painted white or black	colours 

Stacking chair with arms and seat in beech plywood.

Frame in steel rod, cataphoretically-treated and painted in polyester powder.

Complete with felt pads.

Trolley Magis available (p.303).



9401.79.00




0,412 m³



39,00 kg

Art. nr.	Frame in steel rod	Seat in beech
SD3414	chromed	natural or black
SD3416	painted white	natural
SD3416	painted black	black



Frame in steel rod

-  chromed
-  white 5110
-  black 5140

Seat in polypropylene

-  white 1735 C
-  black 1763 C
-  coral red 1490 C
-  dark green 1557 C
-  beige 1733 C
-  brown 1479 C
-  pink 1629 C

Seat in beech

-  natural 7010
-  black 7065

Test Troy with seat in polypropylene

ANSI/BIFMA X5.1-2011
 Arm fatigue test EN 16139:2013, L2
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005
 Vertical load on back rest EN 15373:2007
 Arm downwards static load test EN 16139:2013, L2
 Arm sideways static load test EN 16139:2013, L2
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Tested and classified by MPA Stuttgart in die Klasse P-b nach
 DIN 66084

Test Troy with seat in beech


ANSI/BIFMA X5.1-2011
 Arm fatigue test EN 16139:2013, L2
 Leg forward static load test EN 16139:2013, L2
 Safety requirements EN 16139:2013, L2
 Seat and back static load test EN 16139:2013, L2
 Stability EN 1022:2005
 Arm downwards static load test EN 16139:2013, L2
 Arm sideways static load test EN 16139:2013, L2
 Leg sideways static load test EN 16139:2013, L2
 Seat and back fatigue test EN 16139:2013, L2
 Seat front edge durability test EN 16139:2013, L2
 Vertical load on back rest EN 15373:2007

Troy, sledge

Design Marcel Wanders, 2010/2014

Chair with arms and front seat covered.

Frame in chromed steel rod or painted in polyester powder. Seat and arms in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat) or in leather. Complete with felt pads.



9401.79.00


0,412 m³

22,00 kg




Art. nr.	Frame in steel rod	Seat	Front seat covered
SD4115	chromed	polypropylene	fabric
SD4117	chromed	polypropylene	leather
SD4116	painted white or black	polypropylene	fabric
SD4118	painted white or black	polypropylene	leather
SD4230	chromed	beech natural or black	fabric
SD4233	chromed	beech natural or black	leather
SD4232	painted white or black	beech natural or black	fabric
SD4234	painted white or black	beech natural or black	leather


Frame in steel rod



Seat in polypropylene



Seat in beech



Fabric

Kvadrat Divina 3
Kvadrat Divina MD
Kvadrat Divina Melange
Kvadrat Steelcut
Kvadrat Steelcut Trio
Kvadrat Hero
Kvadrat Vidar

Leather


Boxland 7150/
black

Troy, sledge

Design Marcel Wanders, 2010/2014

Chair with arms and seat fully covered.

Frame in chromed steel rod or painted in polyester powder. Seat and arms in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric (Kvadrat "Divina MD" and "Divina Mélange"). Complete with felt pads.



9401.79.00

0,33 m³




22,00 kg

Art. nr.	Frame in steel rod	Seat covered
SD3395	chromed	fabric
SD3396	painted white or black	fabric

Stacking chair with arms and seat in polycarbonate.

Frame in steel rod chromed. Pattern visible from the reverse of seat. Complete with felt pads. Trolley Magis available (p.303).



9401.79.00




0,412 m³



39,00 kg

Art. nr.	Frame in steel rod	Seat
SD1393	chromed	polycarbonate



Frame in steel rod

-  chromed
-  white 5110
-  black 5140

Fabric

Kvadrat Divina 3
Kvadrat Divina MD
Kvadrat Divina Melange
Kvadrat Steelcut
Kvadrat Steelcut Trio
Kvadrat Hero
Kvadrat Vidar

Seat in polycarbonate

-  white 1735 C (front)
-  clear 2540 TR with pattern (reverse)

Test Troy with seat upholstered

ANSI/BIFMA X5.1-2011
Arm fatigue test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Stability EN 1022:2005
Arm downwards static load test EN 16139:2013, L2
Arm sideways static load test EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Vertical load on back rest EN 15373:2007

Test Troy with seat in polycarbonate

ANSI/BIFMA X5.1-2011
Arm fatigue test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Stability EN 1022:2005
Arm downwards static load test EN 16139:2013, L2
Arm sideways static load test EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Vertical load on back rest EN 15373:2007




Information on customer's own material from p.397

Troy, sledge Accessories

Design Marcel Wanders, 2010/2014

Pair of feet connecting chair to chair.

In polycarbonate. (Only for the version Troy, sledge without arms).




9403.90.90 | - | -

Art. nr.	Feet in polycarbonate
AC1380	transparent clear 2540 TR

Folding writing tablet.


In HPL. Frame in steel rod chromed (only for chromed sledge chairs without arms).




9403.90.30 | 0,027 m³ | 4,00 kg

Art. nr.	Frame in steel	Tablet in HPL
AC1385	chromed	black 8510

Feet in polycarbonate



Frame in steel



Tablet in HPL

