

Troy, sledge

Design Marcel Wanders, 2010/2014


Stacking chair with seat in polypropylene.

Frame in steel rod chromed . Complete with felt pads.

Pair of feet connecting chair to chair available.

Folding writing tablet available.

Trolley Magis available.



	
9401.79.00	0,362 m³ 65x58x96
	33,00 kg 7,00 kg

Art. nr.	Frame in steel rod	Seat in polypropylene
SD3380	chromed	colours
SD3382	painted white or black	colours




Stacking chair with seat in beech plywood.

Frame in steel rod, cataphoretically-treated and painted in polyester powder. Complete with felt pads.

Pair of feet connecting chair to chair available.

Folding writing tablet available.

Trolley Magis available.



	
9401.79.00	0,362 m³ 65x58x96
	33,00 kg 7,00 kg

Art. nr.	Frame in steel rod	Seat in beech
SD3404	chromed	natural or black
SD3406	painted white	natural
SD3406	painted black	black

Frame in steel rod	Seat in polypropylene	Seat in beech
 chromed	 white 1735 C	 natural 7010
 white 5110	 black 1763 C	 black 7065
 black 5140	 dark green 1557 C	
	 beige 1733 C	
	 brown 1479 C	
	 pink 1629 C	

Test Troy with seat in polypropylene

ANSI/BIFMA X5.1-2011

Leg sideways static load test EN 16139:2013, L2

Seat and back fatigue test EN 16139:2013, L2

Seat front edge durability test EN 16139:2013, L2

Tested and classified by MPA Stuttgart in die Klasse P-b nach DIN 66084

Leg forward static load test EN 16139:2013, L2

Safety requirements EN 16139:2013, L2

Seat and back static load test EN 16139:2013, L2

Stability EN 1022:2005

Vertical load on back rest EN 15373:2007

Test Troy with seat in beech

ANSI/BIFMA X5.1-2011

Leg sideways static load test EN 16139:2013, L2

Seat and back fatigue test EN 16139:2013, L2

Seat front edge durability test EN 16139:2013, L2

Vertical load on back rest EN 15373:2007

Leg forward static load test EN 16139:2013, L2

Safety requirements EN 16139:2013, L2

Seat and back static load test EN 16139:2013, L2

Stability EN 1022:2005

Troy, sledge


Design Marcel Wanders, 2010/2014

Chair with front seat covered.

Frame in chromed steel rod or painted in polyester powder. Seat in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric or in leather. Complete with felt pads.

Pair of feet connecting chair to chair available.

Folding writing tablet available.



	9401.79.00	0,400 m³ 68x58x101,5		19,00 kg 8,00 kg

Art. nr.	Frame in steel rod	Seat	Front seat covered
SD4105	chromed	polypropylene	fabric
SD4107	chromed	polypropylene	leather
SD4106	painted white or black	polypropylene	fabric
SD4108	painted white or black	polypropylene	leather
SD4220	chromed	beech natural or black	fabric
SD4223	chromed	beech natural or black	leather
SD4222	painted white or black	beech natural or black	fabric
SD4224	painted white or black	beech natural or black	leather

Frame in steel rod	Seat in polypropylene	Seat in beech	Fabric	Leather
 chromed	 white 1735 C	 natural 7010	Kvadrat Divina 3 Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Steelcut Kvadrat Steelcut Trio Kvadrat Hero Kvadrat Vidar	Boxland 7150/black
 white 5110	 black 1763 C	 black 7065		
 black 5140				



Troy, sledge

Design Marcel Wanders, 2010/2014


Chair with seat fully covered.

Frame in chromed steel rod or painted in polyester powder. Seat in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric.

Complete with felt pads.

Pair of feet connecting chair to chair available.

Folding writing tablet available.



	
9401.79.00	0,400 m ³ 68x58x101,5
	19,00 kg 7,00 kg

Art. nr.	Frame in steel rod	Seat covered
SD3385	chromed	fabric
SD3386	painted white or black	fabric

Frame in steel rod	Fabric
 chromed	Kvadrat Divina 3 Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Steelcut Kvardrat Steelcut Trio
 white 5110	Kvadrat Hero
 black 5140	Kvadrat Vidar

Test Troy with seat upholstered

ANSI/BIFMA X5.1-2011

Leg sideways static load test EN 16139:2013, L2

Seat and back fatigue test EN 16139:2013, L2

Seat front edge durability test EN 16139:2013, L2

Vertical load on back rest EN 15373:2007

Leg forward static load test EN 16139:2013, L2

Safety requirements EN 16139:2013, L2

Seat and back static load test EN 16139:2013, L2

Stability EN 1022:2005




Troy, sledge

Design Marcel Wanders, 2010/2014

Stacking chair with arms and seat in polypropylene.

Frame in steel rod cataphoretically-treated and painted in polyester powder. Complete with felt pads.

Trolley Magis available.



	
9401.79.00	0,412 m ³ 66x65x96
	39,00 kg 8,50 kg

Art. nr.	Frame in steel rod	Seat in polypropylene
SD3392	painted white or black	colours




Stacking chair with arms and seat in beech plywood.

Frame in steel rod painted in polyester powder.

Complete with felt pads.


Trolley Magis available.




	
9401.79.00	0,412 m ³ 66x65x96
	39,00 kg 8,50 kg

Art. nr.	Frame in steel rod	Seat in beech
SD3416	painted white	natural
SD3416	painted black	black

Frame in steel rod




white 5110



black 5140


Seat in polypropylene




white 1735 C



black 1763 C



dark green 1557 C



beige 1733 C




brown 1479 C




pink 1629 C

Seat in beech



natural 7010



black 7065

Test Troy with seat in polypropylene

ANSI/BIFMA X5.1-2011

Arm fatigue test EN 16139:2013, L2

Leg forward static load test EN 16139:2013, L2

Safety requirements EN 16139:2013, L2

Seat and back static load test EN 16139:2013, L2

Stability EN 1022:2005

Vertical load on back rest EN 15373:2007

Arm downwards static load test EN 16139:2013, L2

Arm sideways static load test EN 16139:2013, L2

Leg sideways static load test EN 16139:2013, L2

Seat and back fatigue test EN 16139:2013, L2

Seat front edge durability test EN 16139:2013, L2

Tested and classified by MPA Stuttgart in die Klasse P-b nach

DIN 66084

Test Troy with seat in beech

ANSI/BIFMA X5.1-2011

Arm fatigue test EN 16139:2013, L2

Leg forward static load test EN 16139:2013, L2

Safety requirements EN 16139:2013, L2

Seat and back static load test EN 16139:2013, L2

Stability EN 1022:2005

Arm downwards static load test EN 16139:2013, L2

Arm sideways static load test EN 16139:2013, L2

Leg sideways static load test EN 16139:2013, L2

Seat and back fatigue test EN 16139:2013, L2

Seat front edge durability test EN 16139:2013, L2


Vertical load on back rest EN 15373:2007

Troy, sledge

Design Marcel Wanders, 2010/2014

Chair with arms and front seat covered.

Frame in steel rod painted in polyester powder. Seat and arms in polypropylene or in beech plywood. Front seat upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric or in leather. Complete with felt pads.



 9401.79.00	0,330 m³ 64x59x87,5	 22,00 kg 9,50 kg

Art. nr.	Frame in steel rod	Seat	Front seat covered
SD4116	painted white or black	polypropylene	fabric
SD4118	painted white or black	polypropylene	leather
SD4232	painted white or black	beech natural or black	fabric
SD4234	painted white or black	beech natural or black	leather


Frame in steel rod	Seat in polypropylene	Seat in beech	Fabric	Leather
 white 5110  black 5140	 white 1735 C  black 1763 C	 natural 7010  black 7065	Kvadrat Divina 3 Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Steelcut Kvadrat Steelcut Trio Kvadrat Hero Kvadrat Vidar	Boxland 7150/ black



Troy, sledge
Design Marcel Wanders, 2010/2014

Chair with arms and seat fully covered.

Frame in steel rod painted in polyester powder. Seat and arms in polypropylene upholstered in expanded polyurethane, fireproof (Crib5) and covered in fabric. Complete with felt pads.



	
9401.79.00	0,330 m³ 64x59x87,5
	22,00 kg 8,50 kg

Art. nr.	Frame in steel rod	Seat covered
SD3396	painted white or black	fabric

Frame in steel rod	Fabric
 white 5110	Kvadrat Divina 3 Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Steelcut Kvadrat Steelcut Trio Kvadrat Hero Kvadrat Vidar
 black 5140	


Test Troy with seat upholstered
ANSI/BIFMA X5.1-2011
Arm fatigue test EN 16139:2013, L2
Leg forward static load test EN 16139:2013, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 16139:2013, L2
Stability EN 1022:2005
Arm downwards static load test EN 16139:2013, L2
Arm sideways static load test EN 16139:2013, L2
Leg sideways static load test EN 16139:2013, L2
Seat and back fatigue test EN 16139:2013, L2
Seat front edge durability test EN 16139:2013, L2
Vertical load on back rest EN 15373:2007



Troy, sledge Accessories
Design Marcel Wanders, 2010/2014

Pair of feet connecting chair to chair.

In polycarbonate. (Only for the version Troy, sledge without arms).




9403.90.90	—	—
	5x5x5	—

Art. nr.	Feet in polycarbonate
AC1380	transparent clear 2540 TR

Folding writing tablet.

In HPL. Frame in steel rod chromed (only for chromed sledge chairs without arms).



9403.90.30	0,028 m³ 55x50x10	4,00 kg 3,50 kg
------------	----------------------	--------------------

Art. nr.	Frame in steel	Tablet in HPL
AC1385	chromed	black 8510

Feet in polycarbonate	Frame in steel	Tablet in HPL
clear 2540 TR	chromed	black 8510