

Officina


Design Ronan & Erwan Bouroullec, 2017

Armchair.

Frame in wrought iron, painted in polyester powder. Cushion in expanded polyurethane fireproof (class 1IM) covered in leather or with removable cover in fabric.

Lumbar cushion available (p.163).

Ottoman available (p.183).



	
9401.79.00	0,855m ³ 99x89x97
	42,40 kg 27,90 kg


Art. nr.	Frame in wrought iron	Upholstery
SD2235	grey anthracite 5142	fabric cat.1
SD2237	grey anthracite 5142	fabric cat.2
SD2241	grey anthracite 5142	leather

Two-seater sofa.

Frame in wrought iron, painted in polyester powder. Cushion in expanded polyurethane fireproof (class 1IM) covered in leather or with removable cover in fabric.

Lumbar cushion available (p.163).

Ottoman available (p.183).



	
9401.79.00	1,399 m ³ 161x89x97
	66,50 kg 43,50 kg

Art. nr.	Frame in wrought iron	Upholstery
SD2245	grey anthracite 5142	fabric cat.1
SD2247	grey anthracite 5142	fabric cat.2
SD2251	grey anthracite 5142	leather

Frame in wrought iron	Fabric cat.1	Fabric cat.2	Leather
 grey anthracite 5142	Velvet Torri Lana Rico	Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Hero Kvadrat Vidar	Florida

Test

Arm downwards static load test EN1728:2012
Arm rest impact test EN 1728:2012
Back impact test EN 1728:2012, L2
Leg forward static load test EN 1728:2012, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 1728:2012, L2
Seat impact test EN 1728:2012, L2
Vertical load on back rest EN 1728:2012


Arm fatigue test EN 1728:2012
Arm sideways static load test EN 1728:2012
Information for use EN 16139:2013, L2
Leg sideways static load test EN 1728:2012, L2
Seat and back fatigue test EN 1728:2012, L2
Seat front edge durability test EN 1728:2012, L2
Stability EN 1022/98

 Information on customer's own material from p.397

Officina
Design Ronan & Erwan Bouroullec, 2017

Three-seater sofa.

Frame in wrought iron, painted in polyester powder. Cushion in expanded polyurethane fireproof (class 1IM) covered in leather or with removable cover in fabric.
Lumbar cushion available (p.163).
Ottoman available (p.183).



	
9401.79.00	1,960m ³ 226x89x97
	102,30 kg 69,30 kg

Art. nr.	Frame in wrought iron	Upholstery
SD2255	grey anthracite 5142	fabric cat.1
SD2257	grey anthracite 5142	fabric cat.2
SD2261	grey anthracite 5142	leather

Frame in wrought iron	Fabric cat.1	Fabric cat.2	Leather
 grey anthracite 5142	Velvet Torri Lana Rico	Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Hero Kvadrat Vidar	Florida

Test
Arm downwards static load test EN1728:2012
Arm rest impact test EN 1728:2012
Back impact test EN 1728:2012, L2
Leg forward static load test EN 1728:2012, L2
Safety requirements EN 16139:2013, L2
Seat and back static load test EN 1728:2012, L2
Seat impact test EN 1728:2012, L2
Vertical load on back rest EN 1728:2012

Arm fatigue test EN 1728:2012
Arm sideways static load test EN 1728:2012
Information for use EN 16139:2013, L2
Leg sideways static load test EN 1728:2012, L2
Seat and back fatigue test EN 1728:2012, L2
Seat front edge durability test EN 1728:2012, L2
Stability EN 1022/98


 Information on customer's own material from p.397

Officina

Design Ronan & Erwan Bouroullec, 2020

Armchair with high back.

Frame in wrought iron, painted in polyester powder. Cushion in expanded polyurethane fireproof (class 1IM) covered in leather or with removable cover in fabric.
Lumbar cushion available.
Ottoman available.




	
9401.79.00	1,141 m ³ 98x97x120
	64,70 kg 29,50 kg

Art. nr.	Frame in wrought iron	Upholstery
SD2285	grey anthracite 5142	fabric cat.1
SD2287	grey anthracite 5142	fabric cat.2
SD2291	grey anthracite 5142	leather

Lumbar cushion.

In expanded polyurethane fireproof (class 1IM)
in leather or with removable cover in fabric.



	
9404.90.90	0,013 m ³ 59x24,5x9
	1,20 kg 1,00 kg

Art. nr.	Cushion cover
SD2274	fabric cat.1
SD2276	fabric cat.2
SD2280	leather

Frame in wrought iron	Fabric cat.1	Fabric cat.2	Leather
 grey anthracite 5142	Velvet Torri Lana Rico	Kvadrat Divina MD Kvadrat Divina Melange Kvadrat Hero Kvadrat Vidar	Florida

Test

Safety requirements EN 16139:2013
Information for use EN 16139:2013
Seat and back static load test EN 1728:2012 L2
Vertical load on backrest EN 1728:2012 L2
Arm downwards static load EN 1728:2012 L2
Arm sideways static load EN 1728:2012 L2
Seat and back fatigue test EN 1728:2012 L2
Seat front edge durability test EN 1728:2012 L2

Arm fatigue test EN 1728:2012 L2
Leg forward static load test EN 1728:2012 L2
Leg sideways static load test EN 1728:2012 L2
Seat impact test EN 1728:2012 L2
Back impact test EN 1728:2012 L2
Arm impact test EN 1728:2012 L2
Stability EN 1022:2018