


# Materials


## STONE

Carrara marble white



Officina

Black Marquina marble



Brut

Black Portoro recycled marble




Pied-à-terre

Acrylic white




Traffic

Acrylic black




Traffic

Concrete black



Chair\_One / Table\_One Bistrot


Concrete natural



Chair\_One / Table\_One Bistrot

## STONE

Italian ardesia slate



Baguette

Gres marble white Calacatta



Big Will

Gres marble black Marquina



Big Will

Concrete light grey 9026



Officina


Concrete dark grey 9027



Officina


Concrete white 9020  
RAL 9010


Tambour

Concrete green 9021  
NCS S 5020-G30Y


Tambour

## STONE

Concrete light blue 9022  
NCS S 3020-B50G


Tambour

Lava stone blue 9025



South

Lava stone red 9024



South

Sage  
NCS S5010-G10Y (cornice) + NCS S3010-G20Y


Coves

Aubergine  
NCS S 8505-R20B (cornice) + NCS S 7005-R50B


Coves




Terracotta  
NCS S 6030-Y80R (cornice) + NCS S 4020-Y70R


Coves

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.





# MATERIALS

## METAL








Riace

## METAL



## METAL



**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

METAL

Beige 5123  
NCS S 2005 Y30R

Tibu

Ivory 5257  
RAL1015

Sequoia

Blush 5284  
NCS S 3010-Y70R

Chair\_One

Grey 5254  
PANTONE 401 U

Piña/ ALL-ROUND

Blue 5267  
RAL 5005

Bureaurama

Light Blue 5276  
NCS S 3010-B50G

Plato/ South

Night Blue 5282  
RAL 5008

South



METAL

Blue 5309  
RAL 5008

Gorilla (Animal Factory)

MInt 5285  
NCS S 1020-B90G

Chair\_One

Purple 5283  
NCS S 7020-R60B

Chair\_One

Olive green 5039  
NCS S 6030 Y

Tibu

Light green 5041  
NCS S 3010 G40Y

Tibu

Green 5126  
RAL 6033

Brut

Dark green 5260  
NCS S 7020-G10Y

Sequoia

METAL

Green 5274  
NCS S 5040-G20Y

Plato

Green 5277  
RAL 6002

Trotter

Green 5293  
RAL DESIGN 140 30 40

Motta

Green 5299  
RAL 6004

Bishop

Green 53006  
RAL 6001

Cocodrillo (Animal Factory)

Lime 5029  
NCS S 2060-G90Y

Tibu

Yellow 5268  
RAL 1016

Bureaurama






**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

MATERIALS






| METAL                                                                                                                                           | METAL                                                                                                                                                           | METAL                                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <div><div>Yellow 5278<br/>RAL 1003</div><div>Trotter</div></div>                                                                                | <div><div>Red 5085<br/>RAL 3020</div><div>Chair_One/ Stool_One</div></div>                                                                                      | <div><div>Red 5301</div><div>Steelwood</div></div>                               |
| <div><div>Yellow 5307<br/>RAL 1023</div><div>Giraffa (Anilmal Factory)</div></div>                                                              | <div><div>Fluorescent red 5088<br/>RAL 3024</div><div>Fish</div></div>                                                                                          | <div><div>Brick red 5304<br/>RAL 8004</div><div>Pied-à-terre</div></div>         |
| <div><div>Brown 5146<br/>NCS S 6030-Y70R</div><div></div></div> | <div><div>Red 5143<br/>Red 5292<br/>RAL 3016</div><div>Brut/ Motta</div></div>                                                                                  | <div><div>Red 5308<br/>RAL 3011</div><div>Dinosauro (Animal Factory)</div></div> |
| <div><div>Brown copper 5288<br/>RAL 2013</div><div>ALL-ROUND</div></div>                                                                        | <div><div>Red 5259<br/>NCS S 0580 - Y80R</div><div>Sequoia</div></div>                                                                                          | <div><div>Orange fluorescente 5266<br/>RAL 2005</div><div>Bureaurama</div></div> |
| <div><div>Brown 5291<br/>RAL 8019</div><div>Motta</div></div>                                                                                   | <div><div>Red 5273<br/>NCS S 2070-Y80R</div><div>Plato</div></div>                                                                                              | <div><div>Orange 5279<br/>NCS S2060-Y70R</div><div>South</div></div>             |
| <div><div>Red bordeaux 5046<br/>NCS S 3560-R</div><div>Tibu</div></div>                                                                         | <div><div>Bordeaux 5280<br/>RAL 3005</div><div></div><div>South</div></div> | <div><div>Orange 5300<br/>RAL 8023</div><div>Bishop</div></div>                  |
| <div><div>Coral red 5084<br/>NCS S 0580 - Y80R</div><div>Tibu</div></div>                                                                       | <div><div>Red 5297<br/>RAL 3004</div><div>Bishop</div></div>                                                                                                    | <div><div>Pink 5089<br/>NCS S 3020-Y70R</div><div>Tibu</div></div>               |

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.






WOOD



WOOD



WOOD



**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.


## MATERIALS

### WOOD

Beech petrol blue 7151




Thermo-treated ash 7110



Ash grey 7051  
RAL DESIGN 000 75 00



Ash dark brown 7052  
RAL 8019




Fenix laminate white 8514  
RAL 9010



Pied-à-terre

Fenix laminate black 8515  
RAL 9004



Pied-à-terre


Fenix laminate brick red 8516  
RAL 8004




Pied-à-terre

### WOOD


Ash red 7053  
RAL DESIGN 040 30 40




MDF/ HPL/ FENIX white 8500




MDF/ HPL/ FENIX black 8510



MDF veneered natural oak




MDF veneered dark oak



MDF veneered oak thermo-treated




MDF veneered black ash




### WOOD

Wicker natural (CLUB)



Bleached oak



Beige with edge in ABS painted white



Bordeaux with edge in ABS painted black



Grey with edge in ABS painted black



#### Note

The finishes shown are indicative and refer to the entire production range. We recommend that you consult the Magis samples box which shows the complete range of finishes. Magis reserves the right to modify the range without warning.

PLASTIC

White 1673 (matt)  
White 1735 (matt)  
White 1738 (matt)  
RAL 9010  
First/ Milà/ Stanley/ Substance/ Troy/ Magis Proust/  
Raviolo/ Sam Son/ Spun/ The Wild Bunch/  
Cu-Clock/ Tempo/ Tubby/ Dodo/ Happy Bird/Julian/  
Little Big/ Paradise Tree/ Pingy/ Puppy/ Puppy XS/  
Rocky

White 1673 (glossy)  
White 1735 (glossy)  
RAL 9010  
  
360° / Poppins

White 1680 (matt)  
White 1736 (matt)  
RAL 9003  
  
Cyborg/ Bunky / Downtown /

White 1690 (matt)  
RAL 9016  
  
Dish Doctor / Transit / Alma / Linus

White 1700 (matt)  
RAL 9002

White 1729 (translucent)  
RAL 9010  
  
Linnut

White 1730 (matt)  
PANTONE COOL GREY 1 M  
  
Air-Family / Trash

PLASTIC

White 1734 (glossy)  
RAL 9016  
  
Nuovastep

Blanc 1736 (brillant)  
RAL 9003  
  
Cyborg

Translucent clear 2080  
Translucent clear 2540  
RAL TRO\_LUCIDO  
  
Dish Doctor

Grey 1814 C  
  
RE Air-Chair/ RE Air-Armchair

Cream 1827  
PANTONE 467 U  
  
Air-Chair/ Air-Armchair

Beige 1450 (matt)  
PANTONE 7529 M  
  
Air-Family / First/ Yuyu/Trash

Beige 1712 (matt)  
RAL 1013  
  
Tibu

PLASTIC

Beige 1733 (matt)  
NCS S 4005-Y20R  
  
Stanley/ Troy/ Milà

Beige 1792 C (matt)  
NCS S 2020-Y30R  
  
Alpina

Yellow 1000 C  
PANTONE PROCESS YELLOW M  
  
Puppy XS

Yellow curry 1014 (matt)  
RAL 1027  
  
Sam Son

Yellow curry 1015 (matt)  
PANTONE 103 C  
  
Puppy XS

Yellow 1017 (glossy)  
NCS S 2040-G80Y  
  
Poppins

Yellow 1018 (glossy)  
NCS S 2050-Y  
  
360°

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

MATERIALS

| PLASTIC                                                                                                                                                               | PLASTIC                                                                                                                                             | PLASTIC                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| <div>Yellow 1025 (matt)<br/>Yellow 1665 (matt)<br/>RAL 1023</div> <div>Frottage / Happy Bird / Paradise Tree / Nido</div>                                             | <div>Yellow 1784 (matt)<br/>PANTONE YELLOW 012</div> <div>Spike</div>                                                                               | <div>Orange 1090 (glossy)<br/>RAL 2009</div> <div>Dish Doctor</div>         |
| <div>Yellow 1037 (matt)<br/>RAL 1034</div> <div>Alma</div>                                                                                                            | <div>Orange 1001 (matt)<br/>PANTONE ORANGE 021 M</div> <div>Frottage / Paradise Tree/ Little Flare / Paradise Tree/<br/>Puppy/ Rocky</div>          | <div>Light orange 1652 (matt)<br/>PANTONE 714 C</div> <div>Bunky</div>      |
| <div>Transparent yellow 1081<br/>PANTONE T025-2-2</div> <div></div> <div>Siiri</div> | <div>Orange 1082 (matt)<br/>PANTONE 1645 M</div> <div>Seggiolina Pop</div>                                                                          | <div>Orange 1654 (matt)<br/>RAL pg</div> <div>Bunky</div>                   |
| <div>Light yellow 1385 (matt)<br/>PANTONE 114 M</div> <div>Globo</div>                                                                                                | <div>Orange 1085 (matt)<br/>PANTONE 7417 M</div> <div>Mariolina/ Happy Bird/ Nomi (Ladrillos)</div>                                                 | <div>Orange scuro 1656 (matt)<br/>PANTONE 717 C</div> <div>Bunky</div>      |
| <div>Yellow 1569 (matt)<br/>NCS S 0540-G80Y</div> <div>Dodo / Julian</div>                                                                                            | <div>Orange 1086 (matt)<br/>Orange 1789 (matt)<br/>PANTONE 485 M</div> <div>Air-Chair/ Air-Armchair / Yuyu/ Cu-Clock / Tempo /<br/>Little Big</div> | <div>Arancio 1660 (matt)<br/>PANTONE 166 M</div> <div>Globo</div>           |
| <div>Yellow 1665 (matt)<br/>RAL 1023</div> <div>Raviolo/ Frottage /Paradise Tree/ Happy Bird/ Trioli</div>                                                            | <div>Orange 1087 (matt)<br/>RAL 2003</div> <div>Magis Proust</div>                                                                                  | <div>Orange 1660 (glossy)<br/>PANTONE 166 M</div> <div>The Wild Bunch</div> |
| <div>Yellow 1666 (matt)<br/>NCS S 2060-Y10R</div> <div>Milà</div>                                                                                                     | <div>Orange 1089 (matt)<br/>RAL 2004</div> <div>Trotter</div>                                                                                       | <div>Orange 1780 (matt)<br/>NCS S 3560-Y60R</div> <div>First/ Milà</div>    |

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

PLASTIC

PLASTIC

PLASTIC

Caramel 1799 C  
NCS S 2570-Y30R

Bouquet

Red bordeaux 1802 (matt)  
RAL 3011

Mariolina/ Substance

Fucsia 1006 (matt)  
RAL 4010

Nik (Ladrillos)

Red 1004 (matt)  
RAL 3028

Frottage/Paradise Tree/ Trioli/ Raviolo/ Sam Son/ Spun/ Voids

Red 1823 C  
Red 1825 C  
RAL 3016

Motta/ Air-Chair/ Air-Armchair

Blue 1192 (matt)      Blue 1790 (matt)  
PANTONE 289 M      RAL 5003

Magis Proust/ Costume (connectors)

Red 1114 (matt)  
PANTONE 186 M

Magis Proust

Bordeaux 1796 C  
NCS S 2570-R

Bouquet

Light blue 1218 (matt)  
PANTONE 2985 C

Bunky

Red bordeaux 1130 (matt)  
NCS S 4050-R

360°

Rose 1630 (lucido)  
NCS S 0560-Y90R

360°

Light blue 1220 (matt)  
PANTONE 292 M

Frottage / Paradise Tree

Red 1484 C  
NCS S 3560-R

Milà

Rose 1623 (matt)  
PANTONE 688 M

Nolu (Ladrillos)

Blue 1226 (matt)  
RAL EDIO

Bunky

Red corallo 1490 (matt)  
NCS S 0580-Y80R

Troy/ Puppy XS

Rose 1628 (matt)  
NCS S 0510-Y80R

Dodo / Julian

Dark blue 1232 (matt)  
PANTONE PROCEDURAL Blue C

Bunky

Red 1782 (lucido)  
RAL 3020

The Wild Bunch

Rose 1629 (matt)  
NCS S 2020-Y80R

Troy

Dark blue 1233 (lucido)  
NCS S 6020-B

Poppins

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

MATERIALS

| PLASTIC                                                                                  | PLASTIC                                                                                                                                                                  | PLASTIC                                                                                            |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| <div>Blue 1234 (lucido)<br/>NCS S 5030-B10G</div> <div>360°</div>                        | <div>Petrol Blue 1795 C (matt)<br/>NCS S 4050-B30G</div> <div>Sam son</div>                                                                                              | <div>Green 1290 (matt)<br/>PANTONE 361 M</div> <div>Dish Doctor / Nido</div>                       |
| <div>Blue 1252 (matt)<br/>PANTONE 300 M</div> <div>Trioli/ Nosi (Ladrillos)</div>        | <div>Light Blue 1800 C<br/>NCS S 3020-B10G</div> <div>Bouquet</div>                                                                                                      | <div>Green 1315 (matt)<br/>NCS 0560 G50Y</div> <div>Dodo/ Julian</div>                             |
| <div>Light Blue 1256 (matt)<br/>PANTONE 7460 M</div> <div>Little Big</div>               | <div>Light Blue 1800 C<br/>RAL 5001</div> <div>Motta</div>                                                                                                               | <div>Green 1321 (lucido)<br/>RAL 6011</div> <div>360°</div>                                        |
| <div>Blu 1606 (matt)<br/>PANTONE 653 M</div> <div>EUR/ Seggiolina Pop</div>              | <div>Light Blue 1800 C<br/>NCS S 3010-B</div> <div>First/ Milà</div>                                                                                                     | <div>Green 1342 (matt)<br/>PANTONE 376 M</div> <div>Cu-Clock / Alma/ Puppy XS</div>                |
| <div>Light Blue 1635 (matt)<br/>PANTONE 306 M</div> <div>Globo</div>                     | <div>Trasparente blue 2532<br/>PANTONE T225-3-3</div> <div>Kirassi</div> <div></div> | <div>Green pistacchio 1346 (matt)<br/>PANTONE 583 M</div> <div>Raviolo</div>                       |
| <div>Light Blue 1781 (matt)<br/>PANTONE PROCESS Blue</div> <div>The Wild Bunch</div>     | <div>Dark green 1281 (matt)<br/>RAL 6000</div> <div>Sino (Ladrillos)</div>                                                                                               | <div>Green 1360 (matt)<br/>PANTONE 375 M</div> <div>Globo / Frottage / Paradise Tree / Puppy</div> |
| <div>Turquoise 1785 (matt)<br/>NCS S 2020-B30G</div> <div>Dodo / Julian / Puppy XS</div> | <div>Green 1283 (matt)<br/>RAL 6002</div> <div>Trotter</div>                                                                                                             | <div>Olive green 1517 (matt)<br/>RAL 6003</div> <div>Raviolo</div>                                 |

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

PLASTIC

Dark green 1555 (matt)  
RAL 6008

Officina

Dark green 1556 (matt)  
NCS S 7020-G10Y

Milà

Dark green 1557 (matt)  
NCS S 6030-G70Y

Troy

Green 1638 (matt)  
PANTONE 7488 M

Seggiolina Pop

Olive green 1664 (matt)  
PANTONE 7498 M

First

Green 1783 (matt)  
PANTONE 347

The Wild Bunch

Olive green 1791 (matt)  
NCS S 6020-G50Y

Alpina

PLASTIC

Olive green 1798 C  
NCS S 3060-G90Y

Bouquet

Green 1812 (matt)  
RAL 120 50 40

Spun

Green 1824 (matt)  
RAL DESIGN 140 30 40

Motta

Green 1825 (matt)  
RAL DESIGN 130 30 10

Air-Chair/ Air-Armchair

Green Vitrail  
RAL 6016

Vitrail

Light grey 1395 (matt)  
PANTONE COOL GREY 3 M

Voido

Grey 1405 (matt)  
RAL 7003

Globo

PLASTIC

Grey anthracite 1418 (matt)  
RAL 7015

Air-Chair /Air-Armchair

Grey anthracite 1420 (matt)  
RAL 7016

Mariolina/ Bombo/ Nido

Grey anthracite 1428 (matt)  
RAL 7021

Spun

Grigio antracite 1429 (matt)  
PANTONE 419 U

Sam Son

Grey beige 1452 (matt)  
RAL 7006

Substance

Light grey 1707 (matt)  
RAL 7032

360°

Grey 1737 (matt)  
RAL 9001

Tempo


**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

MATERIALS




| PLASTIC                                                                                              | PLASTIC                                                                         | PLASTIC                                                                                      |
|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| <div><p>Grey metallic 1761 (matt)<br/>RAL 9007</p><p>Officina</p></div>                              | <div><p>Brown 1822 C<br/>RAL 8019</p><p>Motta</p></div>                         | <div><p>Black 1754 (matt)<br/>Black 1764 (matt)<br/>RAL 9004</p><p>Spike</p></div>           |
| <div><p>Grey Vitrail<br/>RAL 7035</p><p>Vitrail</p></div>                                            | <div><p>Dark purple 1133<br/>RAL 3007</p><p>Spun</p></div>                      | <div><p>Black 1763 (matt)<br/>Black 1768 (matt)<br/>Black 1770 (matt)<br/>RAL 9017</p></div> |
| <div><p>Brown 1069 (matt)<br/>Rust brown 1071 (matt)<br/>RAL 8017</p><p>Rocky/Folly/ Voids</p></div> | <div><p>Purple 1156<br/>PANTONE 2612</p><p>Raviolo</p></div>                    | <div><p>Black 1763<br/>RAL 9017</p><p>Pingy / Puppy XS / Rocky</p></div>                     |
| <div><p>Brown 1479<br/>NCS S 3050-Y40R</p><p>Troy</p></div>                                          | <div><p>Terracotta 1480 (matt)<br/>NCS S 5030-Y70R</p><p>First</p></div>        | <div><p>Black 1764 (lucido)<br/>RAL 9004</p><p>360° / Poppins</p></div>                      |
| <div><p>Black Brown 1797 C<br/>RAL 8022</p><p>Bouquet</p></div>                                      | <div><p>Black 1750 (matt)<br/>RAL 8022</p><p>Nuoavastep / Trash</p></div>       | <div><p>Black 1765 (matt)<br/>NCS S 8500-N</p></div>                                         |
| <div><p>Brown 1805 C<br/>NCS S6030-Y70R</p><p>Officina</p></div>                                     | <div><p>Black 1750 (lucido)<br/>RAL 8022</p><p>Tempo</p></div>                  | <div><p>Black 1769 (lucido)<br/>RAL 9011</p></div>                                           |
| <div><p>Brown 1820 C<br/>NCS S 8505-Y80R</p></div>                                                   | <div><p>Black 1751 (matt)<br/>PANTONE PROCESS BLACK M</p><p>Air-Chair</p></div> | <div><p>Black 1793 (matt)<br/>RAL 9004</p></div>                                             |

**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.


PLASTIC



PLASTIC






PLASTIC







**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

GLASS



GLASS



GLASS



**Note**  
The finishes shown are indicative and refer to the entire production range.  
We recommend that you consult the Magis samples box which shows the complete range of finishes.  
Magis reserves the right to modify the range without warning.

# Upholstery

## UPHOLSTERY

### Abitex-Vortice (In-Side)



301

801

**Suitable for outdoor**


**Composition:** 100% acrylic

**Flame resistance:** California TB 117-2013; NFPA260 Class 1.

fire resistance with treatment, only upon request, min 300 m, even assorted colours.  
EN 1021 1/2; IMO FTP Code 307 part 8.

**Pilling resistance:** Note 4-5, EN ISO 12945/2:2000

**Lightfastness:** Note 7-8, ISO 105-B02



### Crevin Dolce (Stanley)



07

53

75

**Suitable for outdoor**

**Composition:** 60%PP 40%PES

**Abrasion resistance:** (Change aspect 3000 cycles)  
EN ISO 12947/4:1998 - EN 14465:2003 4-5

**Assessment of ignitability: PASS**

(Cigarette / Match)

BS5852 0/1

EN 1021 1/2

BS7176 Low hazard

CAL TB117:sect 1 2013

NFPA 260:2013

**Pilling resistance:** Note 4-5, EN ISO 12945/2:2000

**Lightfastness:** Note >6, EEN ISO 105-B04 (1000 hours).




### Fidivi One (Costume, Costume Lounge)

Stefan Diez and Magis propose different combinations of fabric and connectors for Costume; nevertheless, clients have the freedom to create their own combinations.


Connectors



orange



1506



2519



4037



4503




4566




blue



4037




4566



8504



black



1506



2519




4037



4503



4566



8504


**Composition:** 100% recycled polyester

**Abrasion:** 100.000 Martindale rubs, EN ISO 12947-2


**Flame resistance:** UNI 9175 Class 1 IM, EN 1021-1 & 2, CRIB 5, BS 7176 Class Medium Hazard, California TB 117-2013

**Pilling:** 2000 rubs, Note 5, EN ISO 12945-2

**Lightfastness:** Note 6, ISO 105-B02



### Fidivi Torino (Trave)



9111

9201

9212

9302

9404

9616

9717

**Composition:** 100% Polyester Trevira CS

**Abrasion:** 70.000, ISO 12947-2

**Flame resistance:** UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1. NF 92501-7 Class M1,

NF D 60013 Class AM18, EN 1021-1 & 2

BS Crib 5, BS 7176 Class Medium Hazard, EN

13773 Class 1, OENORM 3800-1 Class B1.Q1,TR1

California TB117, USA NFPA 701, USA NFPA 260


IMO Part 8 Upholstery

**Lightfastness:** Note 5, ISO 105 B02

**Pilling:** Note 4-5, ISO 12945-2



Gabriel Mood (Motta)



2102 3102 4102 6101

**Composition:** 92% New Zealand wool / 8% polyamide.  
**Abrasion:**100.000, EN ISO 12947-2  
90,000 - rubs martindale (ASTM 04966) (heavy duty upholstery)

**Flame resistance:** BS EN 1021 -1 Cigarette; BS EN 1021-2 Match; BS 5852 Part 1 0,1 Cigarette & Match; BS 476 Part 7 class 1; Class Uno UNI 9175 Class 1 I EMME; CA TB 117-2013; IMO MSC 307(88) Annex 1 P-art 8; IMO MSC 307(88) Annex 1 P-art 8

UK;MEO Certificate IMO; MEO Certificate; IMO UK BS 5852 Crib 5 (option flame retardant).  
**Lightfastness:** Note 5-7, ISO 105 B02  
**Pilling:** Note 4 - scale 1-5, max. 5 (EN ISO 12945-2)  
**Sustainability:** Standard 100 by OEKO-TEX®, EU Ecolabel



Home Decor Enea Check (Twain)



010

**Composition:** 47%VI, 16%LI, 25%PC, 12%YU  
**Abrasion resistance:** >35.000 Martindale rubs  
**Pilling:** 4



Home Decor Lino Froissé (Twain)



108

**Composition:** 47%VI, 16%LI, 25%PC, 12%YU  
**Abrasion resistance:** >35.000 Martindale rubs  
**Pilling:** 4



imNativ Solleone Reverse Side A (Milà)



300 301 406 600 704 809

**Composition:** 20% recycled PP, 80% reclaimed PP  
**Abrasion resistance:** 20.000 Martindale rubs, EN ISO 12947-2

**Flame resistance**  
TB-117 California Test/ UNI 9175 (Classe 1IM)/ BS5852-1:1979 cigarette/ BS7176:2007 +A1:2011 level "medium hazard"/ EN 1021-1+2/ BS5852.2006 CRIB5

**Pilling resistance:** Note 4, ISO 12945-2  
**Lightfastness:** Note 4-5 ISO 105-B02



imNativ Maestrale (Piña)



102

**Composition:** 20% recycled PP, 80% reclaimed PP  
**Abrasion resistance:** 20.000 Martindale rubs, EN ISO 12947-2

**Flame resistance**  
TB-117 California Test/ UNI 9175 (Classe 1IM)/ BS5852-1:1979 cigarette/ BS7176:2007 +A1:2011 level "medium hazard"/ EN 1021-1+2/ BS5852.2006 CRIB5

**Pilling resistance:** Note 4, ISO 12945-2  
**Lightfastness:** Note 4-5 ISO 105-B02



Kvadrat Acca Stripe (Twain)



0731

**Composition:** 25% recycled polyester, 35% viscose, 33% recycled cotton, 7% recycled polyacrylic  
**Abrasion:** 50.000 Martindale rubs, EN ISO 12947

**Flame resistance:** BS 5852 Crib 5 with treatment / BS 5852 part r with treatment/ EN 1021-r/2/ US Cal. Bull. 117-2013

**Lightfastness:** Note 5-6 ISO 105-B02  
**Pilling:** Note 3, EN ISO 12945



### Kvadrat Alle (*Riace*)



### Kvadrat Coda (Traffic 2)











**Kvadrat Divina 3** (*Alpina cushion, Nimrod, Pila, Plato Cushion, Sequoia cushion, Steelwood Stool cushion, Substance cushion, Troy*)



Complies with EU Ecolabel "The Flower"

Kvadrat Colline (Traffic\_2)




**Composition:** 75% New Wool, 17% Acrylic, 8% Nylon  
**Abrasion resistance:** 100 000 Martindale

**Flame resistance**  
AS/NZS 1530.3/ BS 5852 Crib 5  
BS 5852 part 1/ DIN 4102 B2  
EN 1021-1/2/ IMO FTP Code 2010:Part 8  
NF D 60 013/ NFPA 260  
Önorm B1/Q1/SN 198 898 with treatment  
UNI 9175 11M/ US Cal. Bull. 117-2013

**Pilling resistance:** Note 5-7, ISO 105-B02  
**Lightfastness:** Note 6, ISO 105-B02



Kvadrat Divina MD (Alpina cushion, Brut, Cyborg cushion, Cyborg Lord, Officina, Pila, Plato Cushion, Sequoia cushion, Steelwood Stool cushion, Substance cushion, Troy )




**Composition:** 100% recycled polyester  
**Abrasion:** Approximately 45.000 Martindale rubs, EN ISO 12947  
**Flame resistance:** EN 1021-1/2  
BS 5852, ignition source 2-5/ DIN 4102 B2  
Önorm B1/Q1  
NF D 60 013

UNI 9175 11M  
US Cal. Tech. Bull. 117  
AS.NZS 1530.3  
IMO FTP Code 2010:Part 8

**Pilling:** Note 3, EN ISO 12945  
**Lightfastness:** Note 5-7, ISO 105-B02



Kvadrat Divina Melange (Alpina cushion, Brut, Cyborg cushion, Cyborg Lord, Officina, Substance cushion, Troy)




**Composition:** 100% recycled polyester  
**Abrasion:** Approximately 45.000 Martindale rubs, EN ISO 12947



**Pilling:** Note 3, EN ISO 12945  
**Lightfastness:** Note 5-7 ISO 105-B02  
**Flame resistance:** AS/NZS 1530.3, BS 5852 Crib 5, BS 5852 ignition source 3, BS 5852 part 1, BS 5867 part 2 type B, EN 1021-1/2, EN 13501, C-s1, d0, glued, NF D 60 013, NFPA 260, SN 198 898 5.3

## UPHOLSTERY

### Kvadrat Hero (*Brut, Costume Lounge, Officina, Troy, Twain*)



**Composition:** 96% new wool, 4% nylon  
**Abrasion resistance:** Approximately 45.000  
Martindale rubs, EN ISO 12947

**Flame resistance:**  
AS/NZS 3837 class 2/BS 5852 Crib 5 with treatment  
BS 5852 part 1/DIN 4102 B2

EN 1021-1/2/IMO FTP Code 2010: Part 8  
NF D 60 013/NFPA 260  
SN 198 898 5.3 with treatment/UNI 9175 1IM  
US Cal. Bull. 117-2013


**Pilling resistance:** Note 3-4, EN ISO 12945  
**Lightfastness:** Note 5-6, ISO 105-B02



Complies with EU Ecolabel "The Flower"



### Kvadrat Melange Nap (*Costume Lounge, Twain*)



**Composition:** 97% new wool, 3% recycled nylon  
**Abrasion resistance:** 45.000 Martindale rubs, EN ISO 12947


**Flame resistance:**  
AS/NZS 3837 class 1/ ASTM E84 Class A Adhered/  
ASTM E84 Class A Unadhered/ BS 5852 crib 5 with  
treatment / BS 5852 part 1/ EN 1021-1/2/ EN 13 773  
class 1 with treatment/ IMO FTP Code 2010 Part 8/  
NF D 60 013/ NFPA 701 with treatment/ SN 198 898  
5.3 with treatment/ UNI 9175 1IM/ US Cal. Bull. 117-  
2013/ ÖNORM B1/Q1

**Pilling resistance:** Note 3-4, EN ISO 12945  
**Lightfastness:** Note 6 ISO 105-B02



Complies with EU Ecolabel "The Flower"

### Kvadrat Recheck (*Costume Lounge, Twain*)




**Composition:** 90% new wool, 10% nylon  
**Abrasion resistance:** 100.000 Martindale rubs, EN ISO 12947

**Flame resistance:**  
AS/NZS 1530.3/ AS/NZS 3837 class 2/  
ASTM E84 Class A Unadhered/ASTM E84 Class A  
Adhered/ BS 5852 crib 5 with treatment/ BS 5852  
part 1/ EN 1021-1/2/ IMO FTP Code 2010 Part 8  
NF D 60 013/ NFPA 260/  
UNI 9175 1IM/ US Cal. Bull. 117-2013

**Pilling resistance:** Note 4, EN ISO 12945  
**Lightfastness:** Note 6-7 ISO 105-B02




Complies with EU Ecolabel "The Flower"

**Kvadrat Reflect (Trave)**

**Composition:** 56% Cotton, 30% Viscose, 14% Flax  
**Abrasion:** 100.000, EN ISO 12947

**Flame resistance:** AS/NZS 3837 class 1, ASTM E84 Class A Unadhered, ASTM E84 Class B Adhered  
 BS 5852 crib 5 with treatment, BS 5852 part 1 with treatment, EN 1021-1/2, US Cal. Bull. 117-2013


**Lightfastness:** Note 5-7 ISO 105-B02  
**Pilling:** Note 4, EN ISO 12945

**Kvadrat Remix (Cyborg cushion, Cyborg Lady)**

**Composition:** 90% new wool worsted 10% nylon  
**Abrasion:** Approx. 100.000 Martindale rubs, EN ISO 12947

**Flame resistance:** AS/NZS 1530.3/ AS/NZS 3837 class 2/ BS 5852 Crib 5 with treatment \*/ BS 5852 ignition source 3/ BS 5852 Part 1  
 EN 1021-1/2/ GB 50222 B1 with treatment \*  
 IMO FTP Code 2020: Part 7 with treatment \*  
 IMO FTP Code 2010: Part 8  
 NF D 60 013/ NFPA 260  
 SN 198 898 5.3 with treatment \*/ UNI 9175 1IM  
 US Cal. Bull. 117-2013/ ÖNORM B1/Q1


**Pilling:** Note 4, EN ISO 12945  
**Lightfastness:** Note 6-7 ISO 105-B02

**Kvadrat Steelcut 3 (Chair\_One, Nimrod, Stool\_One, Tibu, Troy, Twain)**

**Composition:** 90% new wool worsted, 10% nylon  
**Abrasion resistance:** Approximately 100.000 Martindale rubs, EN ISO 12947

**Flame resistance:** AS/NZS 1530.3/ AS/NZS 3837 class 2/ BS 5852 Crib 5 with treatment  
 BS 5852 part 1/ DIN 4102 B2  
 EN 1021-1/2/ IMO FTP Code 2010: Part 8  
 NF D 60 013/ NFPA 260  
 Önorm B1/Q1/ SN 198 898 5.3 with treatment  
 UNI 9175 1IM/ US Cal. Bull. 117-2013

**Pilling resistance:** Note 3-4, EN ISO 12945  
**Lightfastness:** Note 5-7, ISO 105-B02



## UPHOLSTERY

### Kvadrat Steelcut Trio (*Chair\_One, Stool\_One, Tibu, Troy*)




**Composition:** 90% new wool worsted, 10% nylon  
**Abrasion resistance:** Approximately 100.000  
Martindale rubs, EN ISO 12947

**Flame resistance:** AS/NZS 1530.3  
AS/NZS 3837 class 2/ BS 5852 Crib 5 with treatment  
BS 5852 part 1/ DIN 4102 B2/ EN 1021-1/2  
IMO FTP Code 2010: Part 8/ NF D 60 013  
NFPA 260/ Önorm B1/Q1  
SN 198 898 5.3 with treatment/ UNI 9175 1IM  
US Cal. Bull. 117-2013

**Pilling resistance:** Note 4, EN ISO 12945  
**Lightfastness:** Note 5-7, ISO 105-B02



### Kvadrat Tonica (*Traffic\_2*)




**Composition:** 100% new wool  
**Abrasion resistance:** Approximately 45.000  
Martindale rubs, EN ISO 12947

**Flame resistance:** EN 1021-1/2/BS 5852, ignition  
source 2-4/DIN 4102 B2/ Önorm B1/Q1/UNI 9175/  
UNI 9176, 1IM/Cal. Tech. Bull. 117, Sec. E/  
IMO A.652(16)/BS 5852 crib 5 with fireproof  
treatment

**Pilling resistance:** Note 4-5, EN ISO 12945  
**Lightfastness:** Note 5-7, ISO 105-B02



**Kvadrat Tonus (Traffic\_2)**

**Composition:** 90% new wool, 10% Helanca  
**Abrasion resistance:** Approximately 100.000 Martindale rubs, EN ISO 12947


**Flame resistance:** AS/NZS 1530.3  
 BS 5852 Crib 5 with treatment  
 BS 5852 part 1/ DIN 4102 B2  
 EN 1021-1/2/ IMO FTP Code 2010:Part 8  
 NF D 60 013/ NFPA 260  
 Önorm B1/Q1/ SN 198 898 5.3 with treatment  
 UNI 9175 1IM/ US Cal. Bull. 117-2013

**Pilling resistance:** Note 3, EN ISO 12945  
**Lightfastness:** Note 5-7, ISO 105-B02

**Kvadrat Uniform Melange (Costume, Costume Lounge)**

Stefan Diez and Magis propose different combinations of fabric and connectors for Costume; nevertheless, clients have the freedom to create their own combinations.


Connectors



**Composition:** 68% New wool, 22% Nylon, 10% Polyester  
**Abrasion:** Approximately 100.000 Martindale rubs, EN ISO 12947


**Fastness to rubbing:** Note 4-5, ISO 105-X12  
**Flame resistance:** EN 1021-1/2, BS 5852 part 1, DIN 4102-B2, US Cal. Tech. Bull. 117  
 IMO FTP Code part 8, BS 5852 Crib 5 with treatment

**Pilling:** Note 4, EN ISO 12945  
**Lightfastness:** Note 6, ISO 105-B02



UPHOLSTERY


Kvadrat Vidar (Brut, Officina, Riace, Troy)




**Composition:** 94% new wool, 6% nylon  
**Abrasion resistance:** Approximately 100.000 Martindale rubs, EN ISO 12947

**Flame resistance:**  
EN 1021-1 / 2, BS 5852 ignition source 2-3,  
DIN 4102 B2, NF D 60 013, UNI 9175 1IM,  
US Cal. Tech. Bull. 117, IMO A.652(16) Crib 5 when  
flame protected  
No use of brominated flameretardants

**Pilling resistance:** Note 5, EN ISO 12945  
**Lightfastness:** Note 6-7 ISO 105-B02




Kvadrat Zade (Twain)



**Composition:** 58% viscose 21% polyester 21% cotton  
**Abrasion:** Approx. 35.000 Martindale rubs, EN ISO 12947

**Flame resistance:** AS/NSZ 3837 class 2  
BS 5852 Part 1  
BS 7176 Low Hazard  
EN 1021-1/2

**Pilling:** Note 4, EN ISO 12945  
**Lightfastness:** Note 6, ISO 105-B02



Limonta Agamoto (Twain)



021

**Composition:** 30% VI, 16% WO,13%LI, 12%CO,  
10%PA, 9%PL, 6%SE, 4%PC  
**Abrasion:** 30.000, UNI EN ISO 12947-2

**Flame resistance:** BS 5852, Cigarette Test;  
Cal TB 117  
BS 5852 MATCH  
CRIB5-with treatment

**Lightfastness:** Note 5-6, UNI EN ISO 105-B02  
**Pilling:** Note 3-4, ISO 12945-2



Limonta Blackwood (Twain)



02

**Composition:** 32% VI, 31%CO,  
15%PL,14%LI, 8%PC  
**Abrasion:** 30.000, UNI EN ISO 12947-2

**Flame resistance:** BS 5852, Cigarette Test;  
CAL TB117; BS 5852 MATCH, CRIB5-with treatment

**Lightfastness:** Note 5-6, UNI EN ISO 105-B02  
**Pilling:** Note 3-4, ISO 12945-2



Limonta Indianskop (Officina, Riace)



02

03

04

05

06

07

15

16

31

46

150

151


**Composition:** 34% VI, 30% CO, 15%LI  
13%PC, 7%PL  
**Abrasion:** 25.000, UNI EN ISO 12947-2

**Flame resistance:** BS 5852, Cigarette Test; BS 5852  
MATCH, CRIB5-with treatment

**Lightfastness:** Note 5-6, UNI EN ISO 105-B02  
**Pilling:** Note 3-4, ISO 12945-2



Limonta Java (Costume Lounge)



**Composition:** 65%CO, 35% LI  
**Abrasion:** 30.000, UNI EN ISO 12947-2

**Flame resistance:** BS 5852, Cigarette Test;  
BS 5852 MATCH, CRIB5-with treatment

**Lightfastness:** Note 5-6, UNI EN ISO 105-B02  
**Pilling:** Note 4, ISO 12945-2

Limonta Persiano (Twain)




**Composition:** 31%WM, 55% CO, 14%VI  
**Abrasion:** 30.000, UNI EN ISO 12947-2

**Flame resistance:** BS 5852, Cigarette Test;  
BS 5852 MATCH, CRIB5-with treatment

**Lightfastness:** Note 4-5, UNI EN ISO 105-B02  
**Pilling:** Note 4, ISO 12945-2


Limonta Volpe (Costume Lounge, Twain)



**Composition:** 100%CO  
**Abrasion:** 110.000, UNI EN ISO 12947-2  
**Lightfastness:** Note 4-5, UNI EN ISO 105-B02  
**Pilling:** Note 4-5, ISO 12945-2



Rubelli Cork (Costume Lounge)




**Composition:** 100%PL flame retardant  
**Abrasion:** 20.000

**Flame resistance:** UK Contract curtains BS5867, Italia Classe 1 Tendaggi, UK Cigarette BS5852 source 0, Germany B1 DIN 4102-1, UK Contract upholstery BS7176, U.S.A. CAL.TB117, France M1 NFP902-503-504-505, IMO 8 Upholstery

**Lightfastness:** Note 7-8  
**Pilling:** Note 4-5  
**Suitable for outdoor**

Rubelli Fabthirty (Trave)




**Composition:** 100%PL flame retardant  
**Abrasion:** 50.000

**Flame resistance:** Germany B1 DIN 4102-1, IMO 7 Curtains, France M1 NFP92-503-504-505, U.S.A. CAL.TB117, IMO 8 Upholstery, Italia Classe 1 Tendaggi, UK Contract upholstery BS7176, UK Contract curtains BS5867, U.S.A. NFPA 260 upholstery, UK Cigarette BS5852 source 0

**Lightfastness:** Note 7  
**Pilling:** Note 4


## UPHOLSTERY

### Rubelli Spritz (*Trave*)



10 13 18 22

**Composition:** 100% Cotton  
**Abrasion:** 40.000, BS EN ISO 1 2947-2:2000  
**Flame resistance:** UK Cigarette BS5852 source 0



### Rubelli Vines (*Costume Lounge*)



01 02 03 04 06 07 08

**Composition:** 100%PL flame retardant  
**Abrasion:** 20.000

**Flame resistance:** UK Contract upholstery BS7176, UK Contract curtains BS5867, France M1 NFP92-503-504-505, Italia Classe 1 Tendaggi, UK Cigarette BS5852 source 0, U.S.A. CAL.TB117, IMO 8 Upholstery, Germany B1 DIN 4102-1

**Lightfastness:** Note 7-8  
**Pilling:** Note 4-5  
**Suitable for outdoor**



### Thinny New York (*Stanley*)



0104  
bianco

0400  
Black

**Composition:** 20% Polyester (PES),  
80% Polivinyli (PVC)

**Suitable for outdoor**

### Torri Lana Baghera (*Twain*)



023


**Composition:** 56%CO, 36%WO,  
8%PA  
**Abrasion:** 35.000, UNI EN ISO  
12947-2:2000

**Flame resistance:** BS 5852-1 (1979) CIGARETTE/  
BS 5852:2006 CIGARETTE /BS 5852-1 (1979)  
MATCH /BS 5852:2006 MATCH  
CAL TB 117:2013

**Lightfastness:** Note 4-5, UNI EN ISO 105- B02  
**Pilling:** Note 4, UNI EN ISO 12945-2:2002



### Torri Lana Brionne (*Nimrod*)



040

**Composition:** 18% CO, 31% PL, 3% PA 26% WO  
22% PC  
**Abrasion:** 40.000, UNI EN ISO 12947-2:2000

**Flame resistance:** Cigarette Test; BS 5852-1 (1979),  
BS 5852:2006, CAL TB 117:2013

**Lightfastness:** Note 4-5, UNI EN ISO 105-B02  
**Pilling:** Note 3-4, (change at 5000 turns)  
UNI EN ISO 12945-2:2002



### Torri Lana Contichi (*Costume Lounge*)



**Composition:** 35% CO, 13% VI, 12% LI, 20%PL,  
20%PA  
**Abrasion:** 140.000, UNI EN ISO 12947-2:2000

**Flame resistance:** BS 5852-1 (1979) CIGARETTE  
BS 5852:2006 CIGARETTE  
BS 5852:2006 MATCH  
CAL TB 117:2013

**Lightfastness:** Note 4-5, UNI EN ISO 105-B02  
**Pilling:** Note 3-4, UNI EN ISO 12945-2:2002




**Torri Lana Dato (Costume, Costume Lounge)**

Stefan Diez and Magis propose different combinations of fabric and connectors for Costume; nevertheless, clients have the freedom to create their own combinations.


## Connectors



orange




283




302




blue



282




302




304




black



087



263



283



284



306

**Composition:** 54%CO, 22%VI, 6%WO, 12%LI, 5%PC, 1% PA

**Abrasion:** 35000 cycles +/- 10%  
UNI EN ISO 12947-2:2000

**Flame resistance:** BS 5852:2006 CIGARETTE  
BS 5852-1 (1979) MATCH

BS 5852:2006 MATCH  
CAL TB 117:2013 (barrier material required)


**Pilling:** grade 4 (change at 5000 turns)  
UNI EN ISO 12945-2:2002

**Lightfastness:** Light colour 4-5 / Medium-Dark colour 5 - UNI EN ISO 105-B02


**Fastness to rubbing:** Dry 4-5 / Wet 2-3 (Black WET 2) UNI EN ISO 105-X12:1995

**Torri Lana Ombra (Costume Lounge)**

000



002




003




004



006



007




008



008




010




011




012



014




015




016




032



034



037



038



039

**Composition:** 53% CO, 37% WO, 10% PA

**Abrasion:** 55.000, UNI EN ISO 12945-2:2002


**Flame resistance:** BS 5852-1 (1979) CIGARETTE  
BS 5852:2006 CIGARETTE, BS 5852-1 (1979)  
MATCH, BS 5852:2006 MATCH, CAL TB 117:2013

**Lightfastness:** Note 4-5, UNI EN ISO 105-B02

**Pilling:** Note 3-4, UNI EN ISO 12945-2:2002

**Torri Lana Parallel (Trave)**


004




006




007



009



012



071


**Composition:** 20% CO, 31% WO, 23% PC, 24%PL, 2%PA

**Abrasion:** 30.000, BS EN ISO 1 2947-2:2000

**Flame resistance:** UNI EN ISO 105-B02, BS 5852-1 (1979) CIGARETTE, BS 5852:2006 CIGARETTE, BS 5852:2006 MATCH, CAL TB 117:2013

**Lightfastness:** Note 4-5, UNI EN ISO 105-B02

**Pilling:** Note 4, UNI EN ISO 12945-2:2002

**Torri Lana Rella (Riace)**

003



041



047

**Composition:** 28% WO, 26% PL, 24% PC, 18%CO, 4%PA

**Abrasion:** 45.000, UNI EN ISO 12947-2:2000

**Flame resistance:** BS 5852-1 (1979) CIGARETTE  
BS 5852-1 (1979) MATCH, CAL TB 117:2013


**Lightfastness:** Note 4-5, UNI EN ISO 105-802

**Pilling:** Note 4-5, UNI EN ISO 12945-2:2002



UPHOLSTERY

Torri Lana Rico (Alpina cushion, Brut, Costume Lounge, Officina, Substance cushion )




**Composition:** 56% Cotton, 30% Viscose, 14% Flax  
**Abrasion:** 36.000, BS EN ISO 1 2947-2:2000

**Flame resistance:** BS 5852:2006, Cigarette Test;  
BS 5852:2006, Match flame equivalent

**Lightfastness:** Note 5, ISO 105 B02  
**Pilling:** Note 3-4, BS EN ISO 12945-2:2002



Velvet (Brut, Piña, Officina, Traffic\_2)







**Composition:** 92% Polyester, 5% Cotton, 3% Latex  
**Abrasion:** >100.000 End Point At Rubs, ISO 12947-2

**Flame resistance:** BS 5852 Cigarette Test, EN 1021-1

**Lightfastness:** Note 5, ISO 105 B02  
**Pilling:** Note 5, EN ISO 12945-2:2000



Velvet Dama (Troy low chair)



01

44

04

24

34

14

54







64

174

84

154

164



49

144

35

105

125

135

116









26

16

66

46

176



02

03

183

139

79

63

53





173

23

153

133

123



48

38

28

168

08

108

58


17

57

37

47

147



127

Composition: 100% PL

Abrasion: 100.000 Martindale rubs

  
dry  
clean









  
water  
repellent

Feltro (Tacito)



viola scuro/  
arancio

bordeaux/  
Green  
chiaro

cipria /  
Yellow


Composition: 99% wool, 1% fiber

Pilling: UNI EN ISO 12945-2:2002

Resistance to fire: UNI 8456:1987



Leather (Twain versione "pop")



leather

Leather: European Bovine

Tanning: Chrome tanning

Finishing: Waxes

Dyeing: Aniline dyed


Light fastness to artificial Xenon light: I.U.F. 402-UNI 9427

Tensile strength: I.U.P. 6-UNI 3376

Burning behaviour: BS 5852 PART 0+1 EN 1021-1/2

## UPHOLSTERY

### Boxland (*Traffic\_2, Troy*)



**Leather:** European Bovine  
**Tanning:** Chrome  
**Finishing:** Water based pigment  
**Dyeing:** Plain colour

### Florida (*Officina*)



**Leather:** European Bovine  
**Tanning:** Chrome salts  
**Finishing:** Aniline  
**Dyeing:** Aniline

### Magis Leather (*Bishop cushion, Officina, Venice*)



**Leather:** European Bovine  
**Tanning:** Vegetable  
**Finishing:** Aniline  
**Dyeing:** Dyed Through

**Magis Spring (Chair\_One, Stool\_One)**L-0110  
brownL-0120  
black

**Leather:** European Bovine  
**Tanning:** Chrome  
**Finishing:** Water based pigment  
**Dyeing:** Plain colour

**Panama (Stanley)**

5300

**Leather:** European Bovine  
**Tanning:** Chrome salts  
**Finishing:** Aniline  
**Dyeing:** Aniline

**Woven matting- Baskets (South)**

red/ orange

blue/ light blue

**Suitable for outdoor**

**Composition:** 100% Polyefin  
**UV resistance:** EN ISO 105 B 02 "light resistance":  
 graded 7 (Max. 8 blue scale)  
 EN ISO 105 B 04 "weather resistance": graded 4  
 (Max. 5 grey scale)


**Dry and wet friction: PASS**

EN ISO 105-X12 graded 4-5 (Max. 5)

**Liquid stains resistance:** including sunscreen  
 cream: EN ISO 12720 graded (Max. 5)

**Resistance to mould and bacteria:** 100%

**Atotoxicity-Antiallergy:** 100% according to OEKO-  
 TEX standard 100 class 1



100% recyclable



dark red

dark blue

**Suitable for outdoor**

**Composition:** 100% Polyefin  
**UV resistance:** EN ISO 105 B 02 "light resistance":  
 graded 7 (Max. 8 blue scale)  
 EN ISO 105 B 04 "weather resistance": graded 4  
 (Max. 5 grey scale)


**Dry and wet friction: PASS**

EN ISO 105-X12 graded 4-5 (Max. 5)

**Liquid stains resistance:** including sunscreen  
 cream: EN ISO 12720 graded (Max. 5)

**Resistance to mould and bacteria:** 100%

**Atotoxicity-Antiallergy:** 100% according to OEKO-  
 TEX standard 100 class 1



100% recyclable



pink/ grey

light blue/ white

**Suitable for outdoor**

**Composition:** 100% Polyefin  
**UV resistance:** EN ISO 105 B 02 "light resistance":  
 graded 7 (Max. 8 blue scale)  
 EN ISO 105 B 04 "weather resistance": graded 4  
 (Max. 5 grey scale)


**Dry and wet friction: PASS**

EN ISO 105-X12 graded 4-5 (Max. 5)


**Liquid stains resistance:** including sunscreen  
 cream: EN ISO 12720 graded (Max. 5)

**Resistance to mould and bacteria:** 100%

**Atotoxicity-Antiallergy:** 100% according to OEKO-  
 TEX standard 100 class 1



100% recyclable

**Twain Blanket (Twain)**

Side A



Side B

**Composition:** 87%WO, 7%CO, 6%PA  
**Abrasion:** 30000 rubs Martindale  
 UNI EN ISO 12947-2:2000  
**Lightfastness:** Note 4-5 / Medium-Dark  
 colour 5 UNI EN ISO 105-802  
**Pilling:** Note 4 UNI EN ISO 12945-2:2002



100% recyclable

